



**TG-211S**  
25-50W



**TG-211M**  
50-100W

简述 Description



- 铝压铸灯体外壳，超白钢化玻璃，特殊外形设计，有2种尺寸供选择
- 高透光PC透镜，多种光学组件可选，具有高视觉舒适性和防眩效果
- 高性能LED芯片，有ON-OFF / DALI / DMX / RGBW多种控制程序选项
- 防紫外线聚氨酯塑粉喷涂表面，耐腐蚀可以达1000小时以上
- 无生物蓝光危害风险，符号EN62471: 2008标准
- 所有外部螺钉均为304不锈钢材质

- Die-casting aluminium body, super white tempered glass. Special shape design, it has 2 sizes version options.
- Optics with PC lens with high visual comfortable and good anti glare effect, multiple light distribution options.
- High quality LED chips, with ON-OFF/DALI/ DMX/RGBW programmed options.
- Surface anti-ultraviolet pure polyester powder painting, Corrosion resistance can be more than 1000 hours.
- No photo-biological risk, in accordance with EN 62471:2008.
- All external screws are made of 304 stainless steel.

功率: 25W-100W  
 光效: 110-135 Lm/W  
 色温: 3000K / 4000K / 5000K / 5700K  
 显色指数: >80Ra / 90Ra  
 功能选项: ON-OFF / DALI / DMX / RGBW

Power: 25W-100W  
 Nominal efficacy: 110-135 Lm/W  
 CCT: 3000K / 4000K / 5000K / 5700K  
 CRI: >80Ra / 90Ra  
 Options: ON-OFF / DALI / DMX / RGBW

- 应用场合: 建筑物、雕塑、标志物、广告牌等景观照明场所
- Applications: For landscape lighting places such as buildings, sculptures, signs and billboards.



光学选项 Optical accessories

灯具拥有多款光学配件可选用，为视觉舒适性提供最有效的照明解决方案，避免不必要的眩光并减少光污染

The design has a variety of optical accessories to option, providing the most effective lighting solution for visual comfort, avoiding unnecessary glare and reducing light pollution.



**Normally Type**  
装饰板 Decorative plate  
**TG-211S / TG-211M**




**"A" Type**  
导光筒 Spill ring  
**TG-211SA / TG-211MA**




**"B" Type**  
蜂窝板 Honeycomb louvre  
**TG-211SB / TG-211MB**



安装应用 Applications



发光角度 Optics




技术参数 Technology data




**TG-211M**

Code	Power	LED Qty	Optics	Packing Size	Weight	Pcs/20"	Pcs/40"
LED chips - 3535/5050							
TG-211MLED50-24	50W	24	TS4/TS15/TS25/TS40/TS60	335*335*295/2pcs	11.4	1428	2940
TG-211MLED75-24	75W	24	TS4/TS15/TS25/TS40/TS60	335*335*295/2pcs	11.4	1428	2940
LED chips - RGBW							
TG-211MLED100-24RGBW	100W	24	TS15/TS25/TS40/TS60	335*335*295/2pcs	11.4	1428	2940



**TG-211S**

Code	Power	LED Qty	Optics	Packing Size	Weight	Pcs/20"	Pcs/40"
LED chips - 3535/5050							
TG-211SLED25-12	25W	12	TS4/TS15/TS25/TS40/TS60	295*255*255/2pcs	7.2	3060	6408
TG-211SLED40-12	40W	12	TS4/TS15/TS25/TS40/TS60	295*255*255/2pcs	7.2	3060	6408
LED chips - RGBW							
TG-211SLED50-12RGBW	50W	12	TS15/TS25/TS40/TS60	295*255*255/2pcs	7.2	3060	6408



可选配件 Accessories options

	Code
地插 Spike	230000103
基础埋件 Anchor Bolts	250000375
膨胀螺钉 Expansion Bolts	613040004



